

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Recovered Gradient and ELISA Data

Recovered Nycodenz® Profile and ELISA Results Using Anti-Hexon Antibody



Recovered Nycodenz® Profile and ELISA Results Using Anti-Adenovirus Antibody





FIG. 1


PAGE & WESTEN BLOTS – Examination of PK Fractions.

Coomassie Stained Gels



<u>Lane</u>	<u>Sample</u>
1	MW Marker
2	Fraction 5
3	Fraction 6
4	Fraction 7
5	Fraction 8
6	Fraction 9
7	Fraction 10
8	Fraction 11 (Western blots only)

Western Blot w/ anti-Hexon



Western Blot w/ anti-adenovirus 5






FIG. 2

PAGE & WESTEN BLOTS –Comparison of PK Fractions and CsCl Sample

Coomassie Stained Gel, 2 ug/well



Western Blot (anti-adenovirus 5), 1ug/well



<u>Lane</u>	<u>Sample</u>
1	MW Marker
2	Fraction 8
3	Fraction 9
3	Fraction 10
4	Fraction 18
5	CsCl Purified

FIG. 3

GFP EXPRESSION

Fluorescence Readings of Infected Cells at 24-, 48- and 72-Hours




FIG. 4

FLUORESCENT MICROGRPHS

Fraction 9

24 hours, $10E-5$



48 hours, $10E-5$




72 hours, $10E-6$



Fraction 10

24 hours, $10E-5$



48 hours, $10E-5$



72 hours, $10E-6$



Cesium Chloride

24 hours, $10E-5$



48 hours, $10E-5$



72 hours, $10E-6$






FIG. 5

EM PHOTOS

Fraction 9 - PKII



Fraction 10 - PKII



Cesium Chloride Purification




FIG. 6